

SIGN 3524 Comfort NoFrost

Integrable built-in freezer with NoFrost

Cooling technology	NoFrost
Aperture height	178 cm
Drawers	8
Type of installation	Can be integrated
Door assembly	Fixed door
Energy efficiency class	F
Dimensions H/W/D	177 - 178.6 / 55.9 / 54.4 cm
Connectable (SmartDevice-capable)	—



> Get help for service

General product information

Model type	Freezer for integrated use with NoFrost
GTIN	4016803065012

Output and consumption

Voltage	220-240 V ~
Frequency	50 Hz
Connection rating	1.3 A 251 W
Energy efficiency class	F
Energy consumption per year	298.49 kWh/a
Climate class	SN-T
Noise level	39 dB

Dimensions and weight

Aperture height	178 cm
Dimensions H/W/D	177 - 178.6 / 55.9 / 54.4 cm
Height/width/depth (with packaging)	1,829.0 / 572.0 / 622.0 mm
Aperture dimensions height/width/depth	177.2 - 178.8 / 56 - 57 / 55.0 cm
Weight (without packaging)	66.00 kg
Weight (with packaging)	69.50 kg

Control and functions

Control	Digital temperature display in the MagicEye
Control unit	Buttons

Temperature display	Freezer
Malfunction: Warning signal	optical and acoustical
FrostControl	✓
Door open: Warning signal, freezer compartment	audible
Child proofing	✓
SuperFrost	Time-controlled
Connectable (SmartDevice-capable)	–

Freezer compartment

Storage time during interruptions in power supply	8.80 h
Total freezing capacity	14.00 kg / 24h
NoFrost	✓
Star-coding	4
Cooling technology	NoFrost
Drawers	8
of which on telescopic rails	0
of which on pull-out roller system	0
Material adjustable shelves freezer compartment	Glass

VarioSpace	✓
Lighting	–
Cold storage accumulators	0
Ice cube tray	1
FrostSafe-System	with completely enclosed, transparent drawers

Set-up and installation

Door assembly	Fixed door
Door hinges	Left replaceable
Door opening angle	115°
Ventilation	Ventilation grates

Specifications

Total volume	216 l
Volume, freezer compartments	217 l
Of which 4-star compartment	216.8 l

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.