LIEBHERR

SIGN 3556 Premium NoFrost

Integrable built-in freezer with NoFrost

Cooling techno-

logy

NoFrost

Aperture height

178 cm

Drawers

8

Type of installa-

tion

Can be integrated

Door assembly

Fixed door

Energy effi-

ciency class

Ε

Dimensions H/W/D

177 - 178.6 / 55.9 / 54.4

cm









> Get help for service

General product information

Model type Freezer for integrated use with NoFrost

GTIN 4016803084150

Output and consumption

Voltage	220-240 V ~
Frequency	50 Hz
Connection rating	1.3 A 251 W
Energy efficiency class	E
Energy consumption per year	238.87 kWh/a
Climate class	SN-T
Noise level	37 dB
Dimensions and weight	
Aperture height	178 cm
Dimensions H/W/D	177 - 178.6 / 55.9 / 54.4 cm
Height/width/depth (with packaging)	1,829.0 / 572.0 / 622.0 mm
Aperture dimensions height/width/depth	177.2 - 178.8 / 56 - 57 / 55.0 cm
Weight (without packaging)	72.00 kg
Weight (with packaging)	75.60 kg
Control and functions	
Control	Digital temperature display in the MagicEye
Control unit	Touch
Temperature display	Freezer

Malfunction: Warning signal	optical and acoustical
FrostControl	✓
Door open: Warning signal, freezer compartment	audible
Child proofing	✓
SuperFrost	Automatic
SoftSystem	SoftSystem
Freezer compartment	
Storage time during interruptions in power supply	8.80 h
Total freezing capacity	14.00 kg / 24h
NoFrost	✓
Star-coding	4
Cooling technology	NoFrost
Drawers	8
of which on telescopic rails	6
of which on pull-out roller system	0
Material adjustable shelves freezer compartment	Glass
VarioSpace	✓

Lighting	LED light
Cold storage accumulators	2
Ice cube tray	1
FrostSafe-System	featuring drawers closed all the way round with transparent fronts
Set-up and installation	
Door assembly	Fixed door
Door hinges	Right replaceable
Door opening angle	115°
Ventilation	Ventilation grates
Specifications	
Total volume	216 l
Volume, freezer compartments	217 l
Of which 4-star compartment	216.8 l

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.